

2025
PRODUCT CATALOG



A NEW ERA

ACU-LOCK™ SCOPE BRIDGE

25x stronger than traditional scope rails, the ACU-Lock Scope Bridge provides the ultimate foundation for scope stability. The full-length, dual-mounted, machined aluminum bridge allows for more scope adjustment, heavier scope options & provides maximum in-the-field durability.

CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK

Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.



ACUSLIDE MAXX™ (PATENTED)

The pinnacle of crossbow cocking & safe de-cocking. Stronger, smoother, & easier to operate, the patented ACUSlide MAXX features the Auto-Brake Gear System. While cocking & de-cocking, you can remove your hand at any point & the handle will stop in place.

AR-STYLE AMBIDEXTROUS THUMB SAFETY

Conveniently located directly above your firing hand, the safety is effortlessly activated & deactivated with the thumb – allowing you to keep both hands on the crossbow & eyes locked on your game.

TRIGGERTECH

TRIGGERTECH PRECISION TRIGGER

Each facet of the TX & TRX Series is designed to extract every millimeter of accuracy from the crossbow, including a custom, hand-built TriggerTech Trigger. Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.




TWIN-RISER TECHNOLOGY™ (TRT)

Foundation of lethal accuracy. 41% lighter & 2x stiffer than traditional risers, Twin-Riser Technology is designed with symmetrical top & bottom plates that reduce riser flex & limb torque to generate a more consistent arrow flight path for greater down-range accuracy.

ZERO-TRAC BARREL

Rail-less design reduces weight & eliminates arrow friction leading to straight nock travel & greater down-range accuracy.



GUIDE-LOCK™ ARROW REST SYSTEM

Features three points of contact for security & stability. The arrow rests on two ball-bearings & is held securely in place by a top-mounted retention brush – giving you durability, longevity, & maximum precision at any distance.



TO OUR CUSTOMERS

We've led the crossbow industry for over 30 years because we are passionate bowhunters. From ownership to management to skilled employees, we see things through the eyes of our customers, having experienced the successes & challenges of bowhunting ourselves.

Since 1994, these experiences have guided us in exploring new concepts, new technologies, & new designs that truly make a difference when you are in the field. At a time when innovation has stagnated for many within the crossbow category, we continue to invest in engineering & continue to launch exciting, meaningful **NEW** crossbows every year.

Whether it's a forward draw crossbow or reverse-draw crossbow, a full-length crossbow or compact crossbow, a premium crossbow or budget-minded crossbow, our 2025 lineup has a crossbow to elevate your hunting experience, & we look forward to sharing in your success this year!

Good Hunting,

RICK BEDNAR
Executive Chairman

PHIL BEDNAR
President | CEO

STEVE BEDNAR
Executive Vice President | COO

NEW FOR 2025

NEW TRX 26™
PAGE 7



THE FASTEST COMPACT CROSSBOW IN THE WORLD. MEET THE NEW TRX 26.
Shooting 460 feet-per-second with a micro-footprint & low profile at 26.5" short & 5.75" narrow, the TRX 26 is our lightest & narrowest reverse-draw crossbow ever.

NEW TX 28™
PAGE 9



COMPACT CUTTING-EDGE TECHNOLOGY AT ITS BEST PRICE TAG. MEET THE NEW TX 28.
Ultra-compact at 28" short & 6.5" narrow, & shooting 410 feet-per-second, the TX 28 delivers a smooth, quiet shot with absolute precision!



NEW TURBO X™
PAGE 11



The fastest, lightest, & most accurate TenPoint Turbo ever. Shooting 415 FPS & weighing just 6.9-pounds, the Turbo X generates long-range accuracy out to 100-yards. And to top it off, it comes equipped with the **NEW S2 Trigger** & the de-cocking system dealers recommend most – the ACUslide.



NEW S2 TRIGGER WITH DFP™ (DRY-FIRE-PROHIBITOR)
2-stage, zero-creep design delivers a consistent crisp, 3.5-pound pull. Thanks to the new DFP, you no longer need to worry about the potential of getting stuck on the previous Dry-Fire-Inhibitor (DFI) when cocking or shooting the crossbow – ultimately reducing questions & frustration.

NEW HARD CASE
AIRLINE-APPROVED
PAGE 25

Featuring six large, interior storage areas, the drop-in hard case is an all-in-one solution for protecting your crossbow & all necessary equipment during transportation to your hunt.



NEW AXIS™ XL TRIPOD
PAGE 25

Designed for all hunting situations with ground blind to standing height adjustment, the Axis XL features premium woven carbon fiber legs that provide lightweight durability & rigidity & extends up to 58" standing height - all while maintaining an ultra-compact carry footprint.



TRX 515™

THE FASTEST CROSSBOW IN THE WORLD.

SPEED
515 FPS

WIDTH
6 INCHES

LENGTH
29 INCHES

EXTEND YOUR EFFECTIVE RANGE
Also available with **Garmin® XERO® X11** or **Burris® Oracle X™** Rangefinding Scope.



- LIMITED LIFETIME WARRANTY
- ACU-LOCK™ SCOPE BRIDGE
- TRIGGERTECH
- FACTORY PRE-SIGHTED
- SHIPS FULLY ASSEMBLED
- BUILT IN AMERICA MOGADORE, OHIO

AVAILABLE FINISHES
VEKTRA™ MOSS GREEN



ACU-LOCK SCOPE BRIDGE
25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

TWIN-RISER TECHNOLOGY
41% lighter & 2x stiffer than traditional risers, TRT is designed with symmetrical top & bottom plates that reduce riser flex, noise, & vibration – resulting in unmatched accuracy & greater long-term durability.

TRIGGERTECH PRECISION TRIGGER
Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK
Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

AR-STYLE AMBIDEXTROUS THUMB SAFETY
Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.


ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM
Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

ACUSLIDE MAXX COCKING & SAFE DE-COCKING SYSTEM
(Patented)
Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.



REVERSE-DRAW DESIGN
Generates more speed with less draw weight for a smoother shot, while providing superior balance for increased accuracy.

COMPACT-FOOTPRINT
29-INCHES



ULTRA-NARROW
6-INCHES WIDE

NEW TRX 26™

THE FASTEST COMPACT CROSSBOW IN THE WORLD.

SPEED
460 FPS

WIDTH
5.75 INCHES

LENGTH
26.5 INCHES

EXTEND YOUR EFFECTIVE RANGE
Also available with **Burris® Oracle X™** Rangefinding Scope.



- LIMITED LIFETIME WARRANTY
- ACU-LOCK™ SCOPE BRIDGE
- TRIGGERTECH
- FACTORY PRE-SIGHTED
- SHIPS FULLY ASSEMBLED
- BUILT IN AMERICA MOGADORE, OHIO

AVAILABLE FINISHES
VEKTRA™ MOSS GREEN



ACU-LOCK SCOPE BRIDGE
25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

TWIN-RISER TECHNOLOGY
41% lighter & 2x stiffer than traditional risers, TRT is designed with symmetrical top & bottom plates that reduce riser flex, noise, & vibration – resulting in unmatched accuracy & greater long-term durability.

TRIGGERTECH PRECISION TRIGGER
Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK
Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

AR-STYLE AMBIDEXTROUS THUMB SAFETY
Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.


ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM
Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

ACUSLIDE MAXX COCKING & SAFE DE-COCKING SYSTEM
(Patented)
Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.



NARROWEST & LIGHTEST REVERSE-DRAW CROSSBOW
Generates more speed with less draw weight for a smoother shot, while providing superior balance for increased accuracy.

MICRO-FOOTPRINT
26.5-INCHES



ULTRA-NARROW
5.75-INCHES WIDE

TX 440™

THE MOST TECHNOLOGICALLY ADVANCED COMPACT CROSSBOW THE WORLD HAS EVER SEEN.

SPEED
440 FPS

WIDTH
6.5 INCHES

LENGTH
28 INCHES

EXTEND YOUR EFFECTIVE RANGE


Also available with **Garmin® XERO® X1i** or **Burris® Oracle X™** Rangefinding Scope.



ACU-LOCK™
SCOPE BRIDGE



AVAILABLE FINISHES



VEKTRA™ MOSS GREEN



ACU-LOCK SCOPE BRIDGE
25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

TWIN-RISER TECHNOLOGY
18% lighter & 2x stiffer than traditional risers, TRT is designed with symmetrical top & bottom plates that reduce riser flex, noise, & vibration – resulting in unmatched accuracy & greater long-term durability.


TRIGGERTECH PRECISION TRIGGER
Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK
Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

AR-STYLE AMBIDEXTROUS THUMB SAFETY
Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.

ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM
Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

ACUSLIDE MAXX COCKING & SAFE DE-COCKING SYSTEM
(Patented)
Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.



COMPACT-FOOTPRINT
28-INCHES

ULTRA-NARROW
6.5-INCHES WIDE

NEW TX 28™

COMPACT CUTTING-EDGE TECHNOLOGY AT ITS BEST PRICE EVER.

SPEED
410 FPS

WIDTH
6.5 INCHES


LENGTH
28 INCHES



ACU-LOCK™
SCOPE BRIDGE



AVAILABLE FINISHES



VEKTRA™ MOSS GREEN



ACU-LOCK SCOPE BRIDGE
25x stronger than traditional scope rails to provide the ultimate foundation for scope stability & accuracy.

TWIN-RISER TECHNOLOGY
18% lighter & 2x stiffer than traditional risers, TRT is designed with symmetrical top & bottom plates that reduce riser flex, noise, & vibration – resulting in unmatched accuracy & greater long-term durability.

TRIGGERTECH PRECISION TRIGGER
Using TriggerTech's patented Zero-Creep Technology™, this 3 lb. trigger features a clean, crisp "break like glass" feel to improve accuracy & precision.

CENTERPUNCH HPX ARROW WITH SNAP-IN NOCK
Alpha-Nock HPX snaps into the TriggerTech trigger box & allows you to hear & feel that your arrow is properly locked & loaded.

AR-STYLE AMBIDEXTROUS THUMB SAFETY
Conveniently located safety allows you to keep both hands on the crossbow & eyes locked on your game.

ZERO-TRAC BARREL & GUIDE-LOCK ARROW REST SYSTEM
Rail-less design reduces weight & eliminates arrow friction while GUIDE-Lock Rest System fully captures the arrow for unprecedented down-range precision.

ACUSLIDE MAXX COCKING & SAFE DE-COCKING SYSTEM
(Patented)
Stronger, smoother, & easier to operate. Remove your hand at any point & the handle stops in place.



COMPACT-FOOTPRINT
28-INCHES

ULTRA-NARROW
6.5-INCHES WIDE

TX 440™

TX 28™

FLATLINE 460™

A MICRO-FOOTPRINT WITH UNMATCHED SPEED & LONG-RANGE ACCURACY.

AVAILABLE FINISH



VEIL ALPINE™



EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ Rangefinding Scope.

ULTRA-COMPACT HUNTING SYSTEM

The Flatline 460's micro-footprint is paired with a 16" arrow that takes up 20% less space in the quiver & fits within the frame of the crossbow. This hunting system redefines crossbow maneuverability & performance when inches of clearance matter.

7.5-INCHES WIDE



MICRO-FOOTPRINT
26.5-INCHES

SPECIFICATIONS

SPEED **460** FPS WIDTH **7.5** INCHES LENGTH **26.5** INCHES



SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

NEW S2 TRIGGER

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

ACUSLIDE COCKING & DE-COCKING SYSTEM
(Patented)

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

100-YARD

EVO-X™ MARKSMAN™ ELITE SCOPE
Variable speed scope maximizes accuracy out to 100-yards & built for speeds up to 550 FPS.

SHIPS FULLY ASSEMBLED

SPECIFICATIONS

SPEED **425** FPS WIDTH **7.5** INCHES LENGTH **26.5** INCHES



SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

NEW S2 TRIGGER

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

ACUSLIDE COCKING & DE-COCKING SYSTEM
(Patented)

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

100-YARD

RANGEMASTER 100 SCOPE
Variable speed scope maximizes accuracy out to 100-yards.

SHIPS FULLY ASSEMBLED

STEALTH 450™

OUR FASTEST FORWARD DRAW CROSSBOW NOW AT A LOWER PRICE.

AVAILABLE FINISH



VEIL ALPINE™



EXTEND YOUR EFFECTIVE RANGE

Also available with Burris® Oracle X™ Rangefinding Scope.

ULTRA-NARROW
6.5-INCHES WIDE



NEW TURBO X™

FASTEST, LIGHTEST, MOST ACCURATE TURBO EVER.

AVAILABLE FINISHES



VEIKTRA™



MOSS GREEN



9.5-INCHES WIDE



SPECIFICATIONS

SPEED **450** FPS WIDTH **6.5** INCHES LENGTH **33** INCHES



SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

ACUSLIDE COCKING & DE-COCKING SYSTEM
(Patented)

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

NEW S2 TRIGGER

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

SHIPS FULLY ASSEMBLED

100-YARD
EVO-X™ MARKSMAN™ ELITE SCOPE
Variable speed scope maximizes accuracy out to 100-yards.

SPECIFICATIONS

SPEED **415** FPS WIDTH **9.5** INCHES LENGTH **33.25** INCHES



SCOPE STRUTS

Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

ACUSLIDE COCKING & DE-COCKING SYSTEM
(Patented)

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

NEW S2 TRIGGER

2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.

BOW HOOK

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

SHIPS FULLY ASSEMBLED

100-YARD
RANGEMASTER™ 100 SCOPE
Variable speed scope maximizes accuracy out to 100-yards.

SIEGE 425™

SPEED & PERFORMANCE FROM A MICRO-FOOTPRINT.

AVAILABLE FINISHES



VEIKTRA™



MOSS GREEN



ULTRA-COMPACT HUNTING SYSTEM

The Siege 425's micro-footprint is paired with a 16" arrow that takes up 20% less space in the quiver & fits within the frame of the crossbow. This hunting system redefines crossbow maneuverability & performance when inches of clearance matter.

7.5-INCHES WIDE




MICRO-FOOTPRINT
26.5-INCHES

VENOM X™

LIGHTEST & LOWEST-PRICED ACUSLIDE CROSSBOW EVER.

AVAILABLE FINISHES



9.75-INCHES WIDE



SPECIFICATIONS

SPEED **390** FPS WIDTH **9.75** INCHES LENGTH **32.5** INCHES



SCOPE STRUTS
Provide a rock-solid foundation for optics to deliver long-range accuracy & "bulletproof" in-the-field durability.

70-YARD PRO-VIEW 400 LIGHTED SCOPE
Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy.

BOW HOOK
Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

ACUSLIDE COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

NEW S2 TRIGGER
2-stage, zero-creep design features a NEW DFP (Dry-Fire-Prohibitor) & roller sear system for greater trigger control & precision down-range accuracy.


LIGHTWEIGHT 6.7 POUNDS & COMPACT 9.75-INCH PROFILE
More mobility & more shot opportunities in-the-field by reducing the chance for cam/limb contact in the stand or blind.

SHIPS FULLY ASSEMBLED


TITAN 400™

OUR ALL-TIME BEST-SELLING CROSSBOW, NOW 400 FPS WITH SILENT COCKING.

AVAILABLE FINISH



9.75-INCHES WIDE



SPECIFICATIONS

SPEED **400** FPS WIDTH **9.75** INCHES LENGTH **33** INCHES

ACUDRAW SILENT™
Easiest ACUdraw to operate – providing silent cocking & reducing the draw weight to just 5 lbs. for easy & effortless cocking.

70-YARD PRO-VIEW 400 LIGHTED SCOPE
Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy.

BOW HOOK
Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

LIGHTWEIGHT 6 POUNDS & COMPACT 9.75-INCH PROFILE
More mobility & more shot opportunities in-the-field by reducing the chance for cam/limb contact in the stand or blind.

INTEGRATED STRING STOP SYSTEM
Reduces noise & vibration.

SHIPS FULLY ASSEMBLED





| | TRX 515 SAFE DE-COCKING | NEW TRX 26 SAFE DE-COCKING | TX 440 SAFE DE-COCKING | FLATLINE 460 SAFE DE-COCKING | NEW TX 28 SAFE DE-COCKING | SIEGE 425 SAFE DE-COCKING | STEALTH 450 SAFE DE-COCKING | NEW TURBO X SAFE DE-COCKING | VENOM X SAFE DE-COCKING | TITAN 400 |
|--|-----------------------------------|--------------------------------------|----------------------------------|--|-------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|-----------------------------------|------------------|
|--|-----------------------------------|--------------------------------------|----------------------------------|--|-------------------------------------|-------------------------------------|---------------------------------------|---------------------------------------|-----------------------------------|------------------|

| | | | | | | | | | | |
|---|-------------------------------|-------------------------------|-------------------------------|--------------------------|-------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|----------------------------------|
| LENGTH WITHOUT FOOT-STIRRUP | 29" | 26.5" | 28" | 26.5" | 28" | 26.5" | 33" | 33.25" | 32.5" | 33" |
| WIDTH UNCOCKED / COCKED | 12" / 6" | 11" / 5.75" | 11" / 6.5" | 12" / 7.5" | 11" / 6.5" | 12" / 7.5" | 11" / 6.5" | 13" / 9.5" | 13" / 9.75" | 13" / 9.75" |
| POWER STROKE | 16" | 13.6" | 12" | 13.5" | 12" | 13.5" | 13" | 12.75" | 11.75" | 12" |
| DRAW WEIGHT | 300 | 300 | 300 | 300 | 250 | 220 | 300 | 230 | 215 | 215 |
| WEIGHT WITHOUT ACCESSORIES OR STIRRUP | 7.6 lbs. (w/ACUslide MAXX) | 7.3 lbs. (w/ACUslide MAXX) | 7.2 lbs. (w/ACUslide MAXX) | 7.5 lbs. (w/ACUslide) | 7.2 lbs. (w/ACUslide MAXX) | 7.5 lbs. (w/ACUslide) | 7.5 lbs. (w/ACUslide) | 6.8 lbs. (w/ACUslide) | 6.7 lbs. (w/ACUslide) | 6 lbs. (w/out ACUdraw Silent) |

PERFORMANCE

FEET-PER-SECOND / FOOT-POUNDS KE

| | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|
| PRO ELITE 400 410-GRAINS | 515 / 241 | 460 / 193 | 440 / 176 | N/A | 410 / 153 | N/A | 450 / 184 (Supplied arrow speed / KE) | 415 / 157 (Supplied arrow speed / KE) | 390 / 138 (Supplied arrow speed / KE) | 400 / 146 (Supplied arrow speed / KE) |
| EVO-X CENTERPUNCH 16 410-GRAINS | N/A | N/A | N/A | 460 / 193 (Supplied arrow speed / KE) | N/A | 425 / 164 (Supplied arrow speed / KE) | N/A | N/A | N/A | N/A |
| EVO-X CENTERPUNCH 445-GRAINS | N/A | N/A | N/A | N/A | N/A | N/A | 430 / 183 | 395 / 154 | 370 / 135 | 380 / 143 |
| EVO-X CENTERPUNCH HPX 445-GRAINS | 495 / 242 (Supplied arrow speed / KE) | 440 / 191 (Supplied arrow speed / KE) | 420 / 174 (Supplied arrow speed / KE) | N/A | 390 / 150 (Supplied arrow speed / KE) | N/A | 430 / 183 | 395 / 154 | 370 / 135 | 380 / 143 |
| COCKING DEVICE | ACUslide MAXX | ACUslide MAXX | ACUslide MAXX | ACUslide | ACUslide MAXX | ACUslide | ACUslide | ACUslide | ACUslide | ACUdraw Silent |
| PACKAGE INCLUDES | Quiver 3 EVO-X HPX Arrows | Quiver 3 EVO-X HPX Arrows | Quiver 3 EVO-X HPX Arrows | Quiver 6 EVO-X 16 Arrows | Quiver 3 EVO-X HPX Arrows | Quiver 3 EVO-X 16 Arrows | Quiver 3 Pro Elite 400 Arrows | Quiver 3 Pro Elite 400 Arrows | Quiver 3 Pro Elite 400 Arrows | Quiver 3 Pro Elite 400 Arrows |

SCOPE, FINISH, & ITEM NUMBER

| | | | | | | | | | |
|--|---|--|--|---|---|--|---|--|--|
| Garmin® XERO® X1i: Vektra: CB24001-7879 | Burris® Oracle X™: Veil Alpine™: CB25003-7869 | Garmin® XERO® X1i: Vektra: CB24002-7879 | Burris® Oracle X™: Veil Alpine™: CB23008-6869 | RangeMaster 100: Vektra: CB25004-7849 Moss Green: CB25004-1849 | RangeMaster 100: Vektra: CB24012-7549 Moss Green: CB24012-1549 | Burris® Oracle X™: Veil Alpine™: CB23019-6889 | RangeMaster 100: Vektra: CB25020-7549 Moss Green: CB25020-1549 | Pro-View 400: Vektra: CB24007-7559 Moss Green: CB24007-1559 | Pro-View 400: Vektra: CB24047-7556 |
| Burris® Oracle X™: Vektra: CB24001-7869 | RangeMaster 100: Veil Alpine™: CB25003-7849 Moss Green: CB25003-1849 | Burris® Oracle X™: Vektra: CB24002-7869 | EVO-X Marksman Elite: Veil Alpine™: CB23008-6889 | | | EVO-X Marksman Elite: Veil Alpine™: CB23019-6889 | | | |
| EVO-X Marksman Elite: Vektra: CB24001-7899 Moss Green: CB24001-1899 | | EVO-X Marksman Elite: Vektra: CB24002-7899 Moss Green: CB24002-1899 | | | | | | | |





BUILT RIGHT. RIGHT HERE.™

AMERICA-BUILT CRAFTSMANSHIP YOU CAN DEPEND ON.

DE-COCKING STARTING AT \$699.99
Lowest price ever for a de-cocking crossbow!

LIGHTED SCOPE OPTIONS
Most Wicked Ridge crossbows are packaged with lighted scopes.

BUILT-IN COCKING DEVICES
Over 90% of consumers prefer a built-in cocking device over competitor's bulky clamp-on devices.

- Nothing to forget
- Fewer steps
- Easier to cock

MORE COMFORTABLE TO SHOOT
Shoulder & shoot our ACUdraw crossbows vs. competing models & feel the difference in our natural eye-to-scope alignment.

GORDON GLASS™ DOUBLE LAMINATED LIMBS
Provide unmatched durability compared to competitor's imported models.

BUILT IN AMERICA
MOGADORE, OHIO



INVADER M1™ DE-COCK

NEW INVADER M1™ DE-COCK

ALL-TIME BEST-SELLING WICKED RIDGE CROSSBOW NOW DE-COCKS.

SPEED
390 FPS

WEIGHT
5.8 INCHES

WIDTH
9.5 INCHES

LIMITED LIFETIME WARRANTY | **SHIPS FULLY ASSEMBLED** | **BUILT IN AMERICA** MOGADORE, OHIO | **GORDON GLASS™** | **AVIENT**

AVAILABLE FINISH
PEAK™



ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM
(Patented)
Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

LIGHTWEIGHT 5.8-POUNDS & COMPACT 9.5-INCH PROFILE
More mobility & more shot opportunities by reducing the chance for cam/limb contact in the stand or blind.

70-YARD PRO-VIEW 400 LIGHTED SCOPE
Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

PRE-SIGHTED AT 20-YARDS
Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

SENTRY BOWHANGER
Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

BUILT IN AMERICA
Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

ALSO AVAILABLE WITH ACUDRAW 50 SLED DE-COCK
Provides manual cocking & de-cocking.




9.5-INCHES WIDE

FURY 410™ DE-COCK

VALUE-PRICED DE-COCKING WITH REVERSE-DRAW SPEED.

AVAILABLE FINISH



PEAK XT



9-INCHES WIDE

COMPACT-FOOTPRINT
29-INCHES



SPECIFICATIONS

SPEED
410 FPS

WIDTH
9 INCHES

LENGTH
29 INCHES

ACUDRAW DE-COCK COCKING & DE-COCKING SYSTEM

Provides silent cocking & safe de-cocking. Remove your hand at any point & the handle stops in place.

100-YARD RANGEMASTER® 100 SCOPE

Variable speed scope maximizes accuracy out to 100-yards.

PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

SHIPS FULLY ASSEMBLED

D1 TRIGGER

2-stage, zero creep design featuring a DFP (Dry-Fire-Prohibitor) delivers a consistent, crisp 3 1/2 - pound pull.

REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

GORDON GLASS™ | AVIENT

RDX 410™

OUR BEST-SELLING WICKED RIDGE REVERSE-DRAW. SHORTER, FASTER. SILENT COCKING.

AVAILABLE FINISH



PEAK XT



9-INCHES WIDE

COMPACT-FOOTPRINT
29-INCHES



SPECIFICATIONS

SPEED
410 FPS

WIDTH
9 INCHES

LENGTH
29 INCHES

ACUDRAW SILENT

Easiest ACUDraw to operate – providing silent cocking & reducing the draw weight to just 5 lbs. for easy & effortless cocking.

70-YARD PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

SHIPS FULLY ASSEMBLED

REVERSE-DRAW DESIGN

Generates more speed with less draw weight for a smoother shot, & provides superior balance for increased accuracy.

INTEGRATED STRING STOP SYSTEM

Reduces noise & vibration.

BUILT IN AMERICA


Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

GORDON GLASS™ | AVIENT

INVADER M1™

OUR ALL-TIME BEST-SELLING WICKED RIDGE CROSSBOW. NARROWER, SHORTER, & LIGHTER THAN EVER.


AVAILABLE FINISH



PEAK XT



9.5-INCHES WIDE



SPECIFICATIONS

SPEED
390 FPS

WEIGHT
5.8 POUNDS

WIDTH
9.5 INCHES

BUILT-IN ACUDRAW

Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

70-YARD PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

SHIPS FULLY ASSEMBLED

LIGHTWEIGHT 5.8-POUNDS & COMPACT 9.5-INCH PROFILE

More mobility & more shot opportunities by reducing the chance for cam/limb contact in the stand or blind.

PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

SENTRY BOWHANGER

Easily hang your bow in the stand or protect your broadhead from dirt & grit in the ground blind.

GORDON GLASS™ | AVIENT

RAMPAGE XS™

THE ULTIMATE AFFORDABLE HUNTING MACHINE.


AVAILABLE FINISH



PEAK XT



15-INCHES WIDE



SPECIFICATIONS

SPEED
390 FPS

WEIGHT
5.8 POUNDS
with Tactical Stock

LENGTH
31.5 INCHES

BUILT-IN ACUDRAW

Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

70-YARD PRO-VIEW 400 LIGHTED SCOPE

Offers aimpoints out to 70-yards & features a lighted reticle for a cleaner view & greater down-range accuracy. (Illuminated red or green)

BUILT IN AMERICA

Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

AVAILABLE WITH:

TACTICAL STOCK WITH ROPE-SLED

Locks in six positions & allows for up to 2 1/2" of adjustability in 1/2" increments.

FEATURES:

PRE-SIGHTED AT 20-YARDS

Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

GORDON GLASS™ | AVIENT

COMMANDER M1™

BUILT-IN COCKING DEVICE. NARROW PROFILE. AMERICAN-BUILT QUALITY AT UNBEATABLE PRICES.

AVAILABLE FINISH



PEAK™



9.5-INCHES WIDE

SPECIFICATIONS

SPEED **380** FPS WEIGHT **5.8** POUNDS WIDTH **9.5** INCHES

AVAILABLE WITH:

BUILT-IN ACUDRAW (OPTIONAL)
Best-in-class crank cocking device reduces draw weight to just 5 lbs. for easy & effortless cocking.

LIGHTWEIGHT STOCK WITH ROPE-SLED (OPTIONAL)

FEATURES:

MULTI-LINE SCOPE
Offers aimpoints out to 50-yards & features fully coated 4x optics.

LIGHTWEIGHT 5.8-POUNDS & COMPACT 9.5-INCH PROFILE
More mobility & more shot opportunities by reducing the chance for cam/limb contact in the stand or blind.

PRE-SIGHTED AT 20-YARDS
Pre-sighted by American workers before leaving the factory to ensure your first shots are on target.

BUILT IN AMERICA
Inspected, built, & tested in Mogadore, Ohio, giving you craftsmanship you can depend on.

GORDON GLASS™ | AVIENT



| | FURY 410 DE-COCK SAFE DE-COCKING | NEW INVADER M1 DE-COCK SAFE DE-COCKING | RDX 410 | INVADER M1 | RAMPAGE XS | COMMANDER M1 |
|---------------------------------------|-------------------------------------|---|----------|------------|------------|--------------|
| LENGTH WITHOUT FOOT-STIRRUP | 29" | 32" | 29" | 32" | 31.5" | 34.5" |
| WIDTH UNCOCKED / COCKED | 15" / 9" | 14" / 9.5" | 15" / 9" | 14" / 9.5" | 19" / 15" | 14" / 9.5" |
| POWER STROKE | 15.5" | 13.8" | 15.5" | 13.8" | 13.5" | 13.8" |
| DRAW WEIGHT | 200 | 190 | 200 | 190 | 175 | 180 |
| WEIGHT WITHOUT ACCESSORIES | 7.5 lbs. | 5.8 lbs. | 7.5 lbs. | 5.8 lbs. | 5.8 lbs. | 5.8 lbs. |

PERFORMANCE

FEET-PER-SECOND / FOOT-POUNDS KE

| | | | | | | |
|--|--|--|--|--|--|--|
| PRO LITE 370-GRAINS | 410 / 138 | 390 / 125 | 410 / 138 | 390 / 125 | 390 / 125 | 380 / 119 |
| WR MATCH 400 CARBON 410-GRAINS | 400 / 146 (Supplied arrow speed / KE) | 380 / 131 (Supplied arrow speed / KE) | 400 / 146 (Supplied arrow speed / KE) | 380 / 131 (Supplied arrow speed / KE) | 380 / 131 (Supplied arrow speed / KE) | 370 / 125 (Supplied arrow speed / KE) |
| SCOPE | RangeMaster 100 | Pro-View 400 | Pro-View 400 | Pro-View 400 | Pro-View 400 | Multi-Line |
| PACKAGE INCLUDES | Quiver 3 Match 400 Arrows | Quiver 3 Match 400 Arrows | Quiver 3 Match 400 Arrows | Quiver 3 Match 400 Arrows | Quiver 3 Match 400 Arrows | Quiver 3 Match 400 Arrows |

COCKING DEVICE & ITEM NUMBER

| | | | | | |
|----------------------------------|--|---------------------------------|--------------------------|--|--|
| ACUdraw De-Cock: WR22060-4518 | ACUdraw De-Cock: WR25005-9558 ACUdraw 50 SLED De-Cock: WR25005-9557 | ACUdraw Silent: WR24060-4556 | ACUdraw: WR24005-4552 | ACUdraw: WR23015-4522 Rope-Sled: WR23015-4525 | ACUdraw: WR24003-9532 Rope-Sled: WR24003-9534 |
|----------------------------------|--|---------------------------------|--------------------------|--|--|



NOCKS

ALPHA-NOCK HP & ALPHA-NOCK HPX

DESIGNED FOR INCREASED STRING-TO-NOCK ENGAGEMENT & SAME HOLE DOWN-RANGE ACCURACY.

TenPoint's Alpha-Nock HP & Alpha Nock HPX features a deep bowstring groove, a large smooth radius base, & elongated ears. The string on TenPoint's extremely narrow crossbows wraps tightly around the center of the nock resulting in straight nock travel & precision down-range accuracy, while minimizing string serving wear.

The nock's deep channel design increases the string to-nock engagement by 28% & "holds" the bowstring in place during the shot which prevents "shoot-over" or "shoot-under".

The Alpha-Nock HPX features a Nock Retention Groove that snaps into the TriggerTech trigger box on the TX & TRX Series allowing the user to both hear & feel the positive engagement of the nock to the string.

NOTE: The Alpha-Nock HPX is required for use with TenPoint rail-less crossbows (TX & TRX Series).

NOTE: The Alpha-Nock HPX is compatible with all TenPoint & Wicked Ridge crossbows.

LIGHTED NOCKS

ALPHA-BLAZE & ALPHA-BLAZE HPX

TenPoint's Alpha-Blaze & Alpha-Blaze HPX Lighted Nocks contain a one-piece Nock/LED unit that is indexed with the vanes & press fits into the arrow's Aluminum Bushing. Upon firing the crossbow, the bow string pushes the nock fully into the bushing & activates the LED light.

Deactivate the easy on/off lighted nock by pulling the nock straight out until the light turns off. The LED light system lasts for approximately 24 hours when activated.


The lighted nock fits into TenPoint & Wicked Ridge arrows equipped with an HP Aluminum Bushing (sold separately).

BE SURE THE NOCK'S RAISED LINE INDEXING FEATURE IS PROPERLY ALIGNED WITH THE ODD COLORED VANE ON YOUR ARROW.

* All TenPoint & Wicked Ridge crossbows require the use of an Alpha-Nock HP or Alpha-Nock HPX Arrow. Failure to do so will void the manufacturer's warranty.

* All TenPoint rail-less crossbows require the use of an Alpha-Nock HPX Arrow (TX & TRX Series). Failure to do so will void the manufacturer's warranty.

| | |
|------------|--|
| HEA-379.3 | 3-pack Alpha-Blaze Lighted Nock for HP Bushing – Green |
| HEA-380.3R | 3-pack Alpha-Blaze HPX Lighted Nock for HP Bushing - Red (required for TenPoint rail-less crossbows) not shown |



ARROWS & LIGHTED ARROWS

TENPOINT CENTERPUNCH HPX LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 445-GRAINS (+/- 1-GRAIN) / BALANCED AT 15.5% FOC / .001" STRAIGHTNESS

Measuring 20-inches in length, weighing 445-grains, & featuring 15.5% FOC, the CenterPunch HPX is spine-aligned to the odd color vane & is TenPoint's most accurate 20" arrow. Each arrow is inspected for straightness to within .001" & each package is weight-grain matched within 1-grain per arrow. Featuring a unidirectional carbon inner layer for stiffness, & a woven carbon fiber outer layer for impact strength, the arrow is straight fletched & equipped with the patented Alpha-Nock HPX. The Alpha-Nock HPX features a Nock Retention Groove that snaps into the TriggerTech trigger box on the TX & TRX Series crossbows allowing the user to both hear & feel the positive engagement of the nock to the string – indicating your arrow is properly locked & loaded in the crossbow. In addition, the "snap-in" design of the Nock Retention Groove eliminates the fit disadvantages & string wear associated with "snap-on" nock designs.

TENPOINT EVO-X CENTERPUNCH LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 445-GRAINS (+/- 1-grain) / BALANCED AT 15.5% FOC / .001" STRAIGHTNESS

Spine-aligned to the odd color vane, the CenterPunch 20-inch arrow is straight fletched & is fitted with an 87-grain insert & TenPoint's Alpha-Nock HP & Alpha-Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) & wrapped in an exclusive LAZER-TECH carbon weave, it is fletched with 3" Bohning X Vanes™. CenterPunch arrows are inspected for straightness to within .001 & each package is weight-grain matched with-in 1-grain per arrow.

TENPOINT EVO-X CENTERPUNCH 16 LIGHTED & NON-LIGHTED CARBON ARROWS

16-INCH / 410-GRAINS (+/- 1-grain) / BALANCED AT 17% FOC / .001" STRAIGHTNESS

Designed for crossbows requiring a 16-inch arrow, the CenterPunch 16-inch arrow is fletched slightly offset & is fitted with an 87-grain insert & TenPoint's Alpha-Nock HP & Alpha-Nock HP Nock Bushing. Constructed from modulus carbon fiber at 33 MSI (million-pounds-per-square-inch) & wrapped in an exclusive LAZER-TECH carbon weave. CenterPunch arrows are inspected for straightness to within .001 & each package is weight-grain matched with-in 1-grain per arrow.

TENPOINT PRO ELITE 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 410-GRAINS (+/- 5-grains) / BALANCED AT 13% FOC / .003" STRAIGHTNESS

The Pro Elite 20-inch carbon arrow is fletched slightly offset & is fitted with a 58-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, & TenPoint's Alpha Nock HP Nock & Alpha Nock HP Nock Bushing. Pro Elite shafts are inspected for straightness to within .003" & hand-sorted for weight tolerance to within 2-grains per dozen.

WICKED RIDGE MATCH 400 LIGHTED & NON-LIGHTED CARBON ARROWS

20-INCH / 410-GRAINS (+/- 5-grains) / BALANCED AT 13% FOC / .004" STRAIGHTNESS

The Match 400 20-inch carbon arrow is fletched slightly offset & is fitted with a 58-grain aluminum insert, Q2i Fusion X-II 3.0 Vanes, & TenPoint's Alpha Nock HP Nock & Alpha Nock HP Nock Bushing. Match 400 shafts are inspected for straightness to within .004" & hand-sorted for weight tolerance to within 2-grains per dozen.

WICKED RIDGE XX75 LIGHTED & NON-LIGHTED ALUMINUM ARROWS

20-INCH / 460-GRAINS / BALANCED AT 10% FOC / .003" STRAIGHTNESS

The XX75 20-inch 2219 aluminum arrow is fletched slightly offset & is fitted with a 13-grain carbon insert, 3.5" Bohning X Vanes™, & TenPoint's Alpha-Nock & Alpha-Nock HP Nock Bushing.

NOTE: Alpha-Brite lighted arrows come with original Alpha-Nocks.

ARROW COMPATIBILITY CHART

| ARROW: | FOR USE WITH: | CROSSBOW COMPATIBILITY: |
|---------------------|---|---|
| 20" CenterPunch HPX | Required for TenPoint Rail-less Crossbows | All TenPoint & Wicked Ridge |
| 20" CenterPunch | Most TenPoint & Wicked Ridge Crossbows | Most TenPoint & Wicked Ridge |
| 16" CenterPunch | TenPoint Crossbows Requiring 16-Inch Arrows | TenPoint Crossbows Requiring 16-Inch Arrows |
| Pro Elite 400 | Most TenPoint & Wicked Ridge Crossbows | Most TenPoint & Wicked Ridge |
| Match 400 | For Use with All Wicked Ridge Crossbows | All Wicked Ridge Crossbows |
| XX75 Aluminum | For Use with All Wicked Ridge Crossbows | All Wicked Ridge Crossbows |



BROADHEADS

TENPOINT NEMESIS

4-BLADE EXPANDABLE BROADHEAD

The 100-grain Nemesis Broadhead is designed for maximum penetration & hemorrhage, cutting a 2-blade, 2" entry wound & a 4-blade, 2" x 1.75" exit hole for a devastating total cut of 3.75". Designed to transfer the extra energy of today's fastest crossbows into more lethal power, the Nemesis is the most accurate mechanical broadhead & inflicts more damage to create a larger hole, more blood loss, & better blood trails for a faster recovery.



HEA-B04.3 Nemesis Broadhead (3-pack)

TENPOINT CENTERPUNCH

2-BLADE EXPANDABLE BROADHEAD

Designed for strength, the 100-grain, rear-deploying EVO-X CenterPunch Broadhead features a collarless design that delivers field point accuracy & a devastating 1 7/8" cut. Its 7075 T6 aluminum ferrule, ultra-strong precision point, & scalpel sharp blades stay closed during flight – creating massive wound channels & leaving huge blood trails.



HEA-B00.3 CenterPunch Broadhead (3-pack)

TENPOINT MONTEC

3-BLADE FIXED BROADHEAD

Built exclusively for TenPoint by G5, this one-piece, 100-grain broadhead is designed for maximum strength & pin-point accuracy, & features a three-blade, cut-on-contact design with a devastating 1 1/8" cut.




HEA-B01.3 Montec Broadhead (3-pack)

WICKED RIDGE IMPACT

2-BLADE EXPANDABLE BROADHEAD

Designed for precision, durability, & performance at a great value, the 100-grain, 2-blade, rear-deploying Impact broadhead features a steel construction & a simple, collarless design that delivers field point accuracy & a devastating 2" cut. Its stainless-steel ferrule & ultra-strong bone-crushing tip deliver massive wound channels & huge blood trails, while its floating blade design ensures the blades do not open in-flight.




HEA-B03.3 Impact Broadhead (3-pack)

CROSSBOW CASES

TENPOINT HALO BOWPACK

COMPACT CROSSBOW BOWPACK DESIGNED FOR SAFE TRANSPORT TO THE STAND OR BLIND.



HCA-20120 HALO Bowpack - Custom Designed for TenPoint's Havoc R5440, Siege R5410, Siege 425, Flatline 460, TRX 26, TX 28, & TX 440
DIMENSIONS: Pack Length: 30" | Pack Width 15.5" | Pack Depth 11"

STAG CASE

Designed for maximum protection & durability, these rigid, water-resistant cases feature an extremely durable shell, as well as a velvet interior for added protection. The interior of the case includes two hook & loop straps to secure the crossbow during travel, & storage for a quiver that also includes straps. If used with TSA approved locks, the case is TSA compliant.



TenPoint STAG Case / Black / Fits all of TenPoint's 2019 & newer crossbow line-up (except models with Rangefinding scopes)
DIMENSIONS: Case Length: 36.75" (not including foot stirrup pass-thru) / Case Width: 18" / Case Depth: 10.75" / Interior Length: 36.25" / Interior Width: 17.5" / Interior Depth: 10.25"

SOFT CASES


These ultra-durable soft cases ensure protection needed for travel &/or storage of your crossbow. They contain deep, sturdy side panels to accommodate mounted optics, adjustable carry strap(s), & zippered compartment(s) for accessories.



HCA-20119 Narrow Soft Case / Black / Fits all of TenPoint's 2019 & newer crossbow line-up
DIMENSIONS: Case Length: 40.5" / Case Width: 18.5" / Case Depth: 10.75"
WRA220 Wicked Ridge Soft Crossbow Case / Black / Fits 2018 & newer Wicked Ridge crossbows (except Ranger & Lady Ranger models)
DIMENSIONS: Case Length: 38" / Case Width: 22.5" / Case Depth: 10.75"

WICKED RIDGE AMBUSH BOWPACK

AFFORDABLE CROSSBOW BOWPACK DESIGNED FOR SAFE TRANSPORT OF WICKED RIDGE CROSSBOWS.



WRA221 AMBUSH Bowpack - Custom Designed for most 2019 Wicked Ridge Models 33" long or shorter
DIMENSIONS: Pack Length: 33" | Pack Width 19" | Pack Depth 11"

SLINGS

NEW TENPOINT PREMIUM SLING

The Premium Grip Crossbow Sling features an over-molded rubber shoulder pad that improves grip & silent quick-release sling swivels. The wear-resistant nylon strap adjusts from 30" – 41.5" to suit your crossbow hunting needs & the shoulder pad is textured & tapered to provide max surface area for grip at the shoulder.




NEW HCA-00425 TenPoint Premium Sling
HCA-004 TenPoint Neoprene Sling
WRA004 Wicked Ridge Neoprene Sling

NEW HARD CASE

AIRLINE-APPROVED HARD CASE

The all-in-one solution for protecting your crossbow & all necessary equipment during transportation to your hunt.



EXTERIOR DIMENSIONS:
CASE LENGTH: 41" CASE WIDTH: 21" CASE DEPTH: 13.75"
HEAVY-DUTY EXTERIOR BUILT FROM RUGGED LIGHT-WEIGHT POLYPROPYLENE COPOLYMER.

HCA-20425 Hard Case



TWO OVERMOLDED RUBBER HANDLES FOR EASY TRANSPORT

WATERPROOF SEAL

EASY-TO-USE LATCHES


FIVE LOCK PORTS TO ADD ANY STANDARD LOCK

WHEELS FOR EASY TRANSPORT

FIND MODEL-SPECIFIC FIT CHART AT TENPOINTCROSSBOWS.COM

Fits forward draw crossbows measuring up to 14.5" axle-to-axle uncocked & up to 34.25" in length.

Fits reverse-draw crossbows measuring up to 13" axle-to-axle uncocked & up to 32.5" in length.



SIX INTERIOR STORAGE AREAS ARE SPECIFICALLY DESIGNED TO FIT WHAT YOU NEED FOR THE HUNT!

- Quiver with arrows & broadheads
- Rangefinder
- Two general storage areas
- Crank handle
- Tripod or arrow tube

TRIPODS

NEW AXIS™ XL CARBON TRIPOD

SHOOTING STABILITY & PRECISION FOR ALL HUNTING SITUATIONS

Designed for all hunting situations with ground blind to standing height adjustment, the Axis XL features premium woven carbon fiber legs that provide lightweight durability, rigidity & extends up to 58" standing height – all while maintaining an ultra-compact carry footprint.

- Extends up to 58" & collapses down to 27.5".
- Rugged 28mm Premium Woven Carbon Fiber Legs.
- Non-slip lever locks provide easy, secure height adjustment.
- Ultra-smooth ball head mount with 360-degrees of rotation & unlimited degrees of tilt.
- Built-in rubber snubber keeps the tripod legs cinched together for compact quiet carry.
- Includes two integrated bubble levels & "hunt hammock" to keep key items like your rangefinder or calls in easy reach.
- For use with both firearms & crossbows.
- Carry bag included.

FOOTPRINT VS. COMPETITORS FOOTPRINT (GROUND BLIND HUNTING SETUP)

HCA-038-CXL Axis XL Tripod



1/4 TURN LOCK KNOB

CLAMP-ON DESIGN FOR CROSSBOW & FIREARMS


AXIS™ ALUMINUM TRIPOD

SHOOTING STABILITY SPECIFICALLY DESIGNED FOR BLIND HUNTING

Designed specifically for blind hunting, the Axis uses less than 1/2 the floor space of competitor tripods – allowing for more equipment & shooting coverage in the tight confines of a blind where inches make the difference. The Axis weighs 50% less than competitor tripods & collapses down to 25" to make packing & carrying your hunting kit easier than ever.

- Extends up to 40" tall & collapses down to 25".
- Slim 25mm Aluminum Legs.
- Non-slip lever locks provide easy, secure height adjustment.
- Ultra-smooth ball head mount with 360-degrees of rotation & unlimited degrees of tilt.
- Includes two integrated bubble levels & "hunt hammock" to keep key items like your rangefinder or calls in easy reach.
- For use with both firearms & crossbows.
- Carry bag included.

HCA-038 Axis Tripod



SCOPES

EVO-X™ MARKSMAN™ ELITE RETICLE: 20-100-YARDS

The brightest & most accurate variable speed crossbow scope on the market, this scope features a variable speed & arrow drop-compensation setting for crossbows that shoot between 380 & 550 FPS. Its innovative configuration, consisting of three illuminated (red or green) duplex crosshairs calibrated at 20-, 40-, & 60-yards, two illuminated (red or green) dots at 30- & 50-yards, & four non-illuminated chevrons at 70-, 80-, 90-, & 100-yards, presents the shooter with a simplified aiming system. Offered in lack or Veil Alpine camo, the scope's 30mm aluminum tube is equipped with an etched glass reticle & fully multi-coated 2-8x optics that increase field-of-view & brightness in low light settings. External, micro-adjustable target turrets provide easy adjustment to windage & elevation for unmatched long-range accuracy.



| | |
|-------------|---|
| HCA-095.3VA | EVO-X Marksman Elite Scope with flip-up scope caps – Veil Alpine™ |
| HCA-095.3 | EVO-X Marksman Elite Scope with flip-up scope caps – Black |

PRO-VIEW™ 400 RETICLE: 20-70-YARDS

Illuminated for lowlight precision & featuring aim points out to 70-yards for crossbows shooting between 380 & 420 FPS. The 4x Pro-View 400 lighted scope features an enhanced reticle that provides a cleaner view for the shooter leading to greater down-range accuracy.



| | |
|-----------|--|
| HCA-097-4 | Pro-View 400 Scope with flip-up scope caps |
|-----------|--|

RANGEMASTER™ 100 RETICLE: 20-100-YARDS

This waterproof & fog-proof scope features a variable speed & drop-compensation setting for crossbows that shoot between 380 & 505 FPS. The configuration consists of nine aiming points in 10-yard increments - three illuminated dots calibrated at 20-, 30-, & 40-yards, three illuminated crosshairs at 50-, 60-, & 70-yards, & three illuminated chevrons at 80-, 90-, & 100-yards. An infinite-position rheostat controls the light intensity of the red or green illuminated dots/crosshairs/chevrons. The scope's 30mm aluminum tube is equipped with an etched glass reticle & fully multi-coated 2-7x optics (scope magnification dictated by arrow speed) that increase field-of-view & brightness in low light settings.



| | |
|-------------------------|--|
| NEW HCA-09812-VK | RangeMaster 100 Scope with flip-up scope caps – Vektra |
| HCA-09812 | RangeMaster 100 Scope with flip-up scope caps – Black |

ALIGN™ 800 RANGEFINDER

Pinpoint hunting precision is only possible when you know the exact distance for the shot. The Align 800 combines 1-yard accuracy with angle compensation to provide you with the exact distance to the target. The multi-coated lenses offer a crisp, bright image in low light. Includes pouch, lanyard, & lens cloth. Well concealed in Vektra camo.

Range: 5-800-Yards | Accuracy: +/- 1-yard | Angle Compensation | 6x Magnification | 24 mm | LCD Display | Weight: 8 oz. | Size: 1.6" x 4.25" x 3"



| | |
|---------|-----------------------|
| HCA-094 | Align 800 Rangefinder |
|---------|-----------------------|

ACCESSORIES & MAINTENANCE

REPLACEMENT CRANK HANDLES



| | |
|---------|---|
| HCA-447 | XTEND Short Crank Handle (Compatible with ACUslide crossbows) |
| HCA-448 | ACUdraw DC Crank Handle (Compatible with Titan De-Cock, Fury 410 De-Cock, & Raider 400 De-Cock) |
| HCA-430 | Crank Handle (Compatible with ACUdraw & ACUdraw PRO) |
| HCA-441 | 6-Inch ACUslide MAXX / ACUslide / ACUdraw De-Cock Crank Handle |

TENPOINT STRING WAX & CONDITIONER

Made from all-natural compounds. Comes in a convenient chap-stick style tube. Lubricates & rejuvenates bow strings & cables.



| | |
|-----------|-----------------------------------|
| HCA-11007 | TenPoint String Wax & Conditioner |
|-----------|-----------------------------------|

STEDDYEDDY® [PATENTED]

The SteddyEddy telescoping two-section monopod ensures motion-free shooting while seated or standing. It attaches directly to your crossbow using a 360-degree maneuverable rapid-pivot tube equipped with a snap-on connection & clamps under your stock when not in use.



| | |
|---------|--|
| HCA-030 | SteadyEddy Crossbow Monopod System (compatible with TenPoint & Wicked Ridge crossbows) |
|---------|--|

LUBRICANTS

Unlike other manufacturers' gel-based lubricants, will not gum-up in cold weather or collect dirt & grime. Recommended for strings, cables, cocking device cords, & barrel. Both feature Scorpion Venom™ Premium Lubricant.



| | |
|---------|---|
| HCA-111 | Flight Rail & Trigger Lube (tube) |
| HCA-112 | Premium Lubricant with Foam Applicator (bottle) |

BEDNAR PERFECT PULLER® 2.0 [PATENTED]

Named for & originally designed by the late Hall of Fame Archer Bill Bednar, the Bednar Perfect Puller 2.0 doubles up as an easy-to-use arrow puller & Alpha-Blaze Lighted Nock Deactivator. Includes three interchangeable grippers sized to fit different shaft diameters of both crossbow & compound arrows.



| | |
|-----------|---|
| HCA-10423 | Bednar Perfect Puller (with interchangeable grippers) |
|-----------|---|

COCKING DEVICES

ACUDRAW

| | |
|------------|---------|
| HCA-001-AD | ACUdraw |
|------------|---------|

ACUSLED

| | |
|------------|--|
| HCA-000-AS | ACUsled (Not for use on TenPoint reverse-draw crossbows) |
|------------|--|

ACUDRAW 50

| | |
|-------------|---|
| HCA-000-A50 | ACUdraw 50 (Patented) (Not for use on ultra-narrow or reverse-draw crossbows) |
|-------------|---|

2025 STRING & CABLE REFERENCE GUIDE

The following models require a complete upgrade. Please contact the Customer Experience Team at 330-628-9245 for more information:
Huntsman, HuntMaster, 458 Magnum, Woodsman, Woodsman Plus, Woodsman SE, Slider, Titan, Titan II, Titan SE, Titan TL-4, Titan TL-7 & Maxim

TENPOINT

| MODELS | STRINGS | CABLES |
|---|--------------------------|--------------------------|
| Turbo Extreme, Magnum Extreme, Hybrid Lite, Elite Lite, Elite X2, Magnum X2, Stealth X2, Turbo X2, Deerslayer, Pro Elite, Elite, Elite QX-4, QX-4, Pro Fusion, Pro Slider, Titan TL-9, Titan HLX, Maverick HP, Pro Elite HP, Blazer HP & Lazer HP | HCA-1115 | HCA-124 |
| Phantom Xtra, Phantom CLS, Shadow CLS, Defender CLS, Carbon Xtra CLS & Carbon Fusion CLS | HCA-11607 | HCA-12307 |
| Stealth XLT & Turbo XLT | HCA-12110 | HCA-12710 |
| Turbo XLT II, Carbon Elite XLT, Stealth SS & Instinct Order | HCA-12112 HCA-12112-R | HCA-12912 HCA-12912-R |
| Titan Xtreme | HCA-11712 | HCA-12612 |
| GT Curve, GT Flex & GT Mag | HCA-12008 | N/A |
| Vapor (2013-2016) | HCA-11813 | HCA-12813 |
| Venom (2014-2017) | HCA-12014 | HCA-12514 |
| Stealth FX4 & Venom Xtra | HCA-12015-O | HCA-12515-O |
| Titan SS & Renegade | HCA-11716-S | HCA-12616-S |
| Carbon Nitro RDX | HCA-12216-R | HCA-13116-R |
| Carbon Phantom RCX, Eclipse RCX & Titan RCX | HCA-70117 | HCA-70017 |
| Titan CLS | WRA183 | WRA163 |
| Vengent S440, Stealth NXT, Shadow NXT & NXT 400 | HCA-70319 | HCA-70418 |

Stealth 450* - see serial numbers below for exceptions:

| | | |
|--|-------------|-------------|
| Stealth 450* serial number: 0062.000001 or higher/0065.000001 or higher | HCA-70319 | HCA-70418 |
| Stealth 450* serial number: 0104.000001 or higher/0105.000001 or higher | HCA-70319 | HCA-70419 |
| Stealth 450R serial number: 0101.000001 or higher | HCA-70319 | HCA-70419 |
| Vapor RS470, Havoc RS440, Siege RS410, XR-410, Nitro XRT, Nitro X, Siege 425, Nitro 505 & Flatline 460 | HCA-70318 | HCA-70418 |
| Viper S400** & Turbo S1*** - see serial numbers below for exceptions: | HCA-70319 | HCA-70418 |
| **Viper S400 serial number: 0041.005810 or higher | HCA-70319 | HCA-70419 |
| ***Turbo S1 serial number: 0051.005243 or higher/0042.007498 or higher | HCA-70319 | HCA-70419 |
| Turbo M1, Titan M1 & Titan De-Cock | HCA-11619-S | HCA-11619-C |
| Viper 430 & Viper S415 | HCA-70319 | HCA-70419 |
| Titan 400, Venom X & Turbo X | HCA-11621 | HCA-11622 |
| TX 440 | HCA-70321 | HCA-70421 |
| TX 28 | HCA-70323 | HCA-70423 |
| TRX 515 | HCA-70320 | HCA-70420 |
| TRX 26 | HCA-70322 | HCA-70420 |

WICKED RIDGE

| MODELS | STRINGS | CABLES |
|--|--------------|--------------|
| Invader, Invader HP, Warrior & Warrior HL | WRA182 | WRA162 |
| Raider CLS | WRA183 | WRA163 |
| Ranger, Lady Ranger & Brood | HCA-13215-O | HCA-13315-O |
| Invader G3 & Warrior G3 | HCA-13216-OB | HCA-13316-OB |
| Invader 400, Rampage 360, Rampage XS, Invader X4, Warrior Ultra-Lite, Ranger X2, Blackhawk 360, Blackhawk XT, Woodsman 360, Carbon Woodsman 375 & Raider 400 De-Cock | HCA-75117 | HCA-75017 |
| M-370, Commander M1, Invader M1 & Invader M1 De-Cock | HCA-11619-S | HCA-11619-C |
| RDX 400, Fury 410 De-Cock, RDX 410 & RDX Silent | HCA-13419-S | HCA-13419-C |
| NXT400 | HCA-70319 | HCA-70418 |

HORTON

| MODELS | STRINGS | CABLES |
|-------------------|-------------|-------------|
| Storm RDX | HCA-12215 | HCA-13115 |
| Vortec RDX | HCA-72717 | HCA-72617 |
| Legend Ultra Lite | HCA-11716-R | HCA-12616-S |





WWW.TENPOINTCROSSBOWS.COM

These products are covered by one or more of the patents found at www.tenpointcrossbows.com/pages/patent-technologies/.
NOTE: TenPoint Crossbow Technologies reserves the right to alter product specifications during any model year.

1325 Waterloo Road • Mogadore, OH 44260-9608
Phone: 330.628.9245 • Fax: 330.628.0999